# **Detection and Classification of Baleen Whale Vocalizations** from Autonomous Platforms

David M. Fratantoni Autonomous Systems Laboratory Physical Oceanography Department Woods Hole Oceanographic Institution Woods Hole, MA 02543

Phone: (508) 289-2908 Fax: (508) 457-2181

Email: dfratantoni@whoi.edu

Mark F. Baumgartner **Biology Department** Woods Hole Oceanographic Institution Woods Hole, MA 02543 Phone: (508) 289-2678

Email: mbaumgartner@whoi.edu

Award Number: N00014-07-1-1004 http://asl.whoi.edu

# LONG-TERM GOALS

Our long-range objective is to understand the oceanographic processes that influence the distribution of whales in the ocean. In support of this objective we seek to develop new techniques and technologies that enable us to relate the occurrence and movement of animals to physical, biological, and possibly anthropogenic forcing mechanisms over long time scales. This work will ultimately improve our ability to predict whale distribution and bolster efforts to mitigate human impacts on marine mammals.

# **OBJECTIVES**

Our research has three specific objectives:

- 1. Develop a platform-independent modular acoustic package capable of automated detection and classification of whale vocalizations and suitable for use on a variety of autonomous platforms.
- 2. Characterize the efficacy of several automated detector algorithms using a rich set of collocated visual and acoustic measurements collected in 2006 and 2007.
- 3. Perform quantitative field trials to evaluate baleen whale detection performance in the context of other visual, acoustic, and environmental observations.

<b>Report Documentation Page</b>				Form Approved OMB No. 0704-0188		
maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comments arters Services, Directorate for Info	regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE		2. REPORT TYPE		3. DATES COVE	ERED	
30 SEP 2008		Annual		00-00-2008	8 to 00-00-2008	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Detection And Class	ons From	5b. GRANT NUMBER				
Autonomous Platforms				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Woods Hole Oceanographic Institution, Physical Oceanography Department, Autonomous Systems Laboratory, Woods Hole, MA,02543				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITO		10. SPONSOR/MONITOR'S ACRONYM(S)				
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)				
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO code 1 only	TES					
whales in the ocean enable us to relate anthropogenic force	jective is to understant. In support of this the occurrence and sing mechanisms ove ibution and bolster	objective we seek to movement of anima er long time scales.	o develop new tech als to physical, bio This work will ult	hniques and blogical, and timately imp	technologies that possibly rove our ability to	
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF		
a. REPORT unclassified	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE unclassified	Same as Report (SAR)	3	RESPONSIBLE PERSON	

### **APPROACH**

Almost all mitigation efforts rely on a comprehensive understanding of whale distribution to effectively separate human activities from baleen whales. This understanding is incomplete, however, and further research is needed to elucidate the environmental factors that govern baleen whale distribution.

Marine mammal distribution has traditionally been studied using visual surveys where human observers detect, identify, and count animals at the sea surface. These methods require adequate sighting conditions: daylight, good visibility, and low sea state. When conditions deteriorate, such as at night or in fog or heavy seas, detecting *any* marine mammals at the surface becomes difficult if not impossible. Conducting ship or aerial surveys for periods of weeks with many observers is both expensive and inefficient, since the observers search for marine mammals only during adequate sighting conditions and are idle during poor conditions. In contrast to visual surveys, passive acoustic detection can occur continuously (24 hours a day) in any weather conditions over weeks to months. However, most acoustic recorders used for marine mammal studies are moored and, except for very-low-frequency applications (e.g. blue whales), are limited to monitoring the area immediately surrounding the recorder.

Many of the limitations of both visual surveys and moored acoustic systems can be overcome by incorporating a passive acoustic monitoring capability on autonomous platforms. Ocean gliders and profiling drifters, in particular, have characteristics that are very well suited for passive acoustic monitoring: silent operation, long endurance (>1 month), and robust near-real-time satellite and/or radio communications. Gliders and profiling drifters offer a suite of oceanographic sensors that can be used in association with acoustic data to characterize marine mammal habitat. These sensors provide measurements that are comparable to or, in some cases, better than the measurements collected during modern, ship-based, marine mammal habitat studies.

# WORK COMPLETED

During the past year, WHOI Student Fellow Sarah Mussoline, under the direction of Mark Baumgartner, isolated all baleen whale calls in 154 hours of acoustic data collected from an array of moored passive acoustic recorders deployed during 2006 and 2007. This dataset, along with 70 hours of collocated visual survey effort, will be used to validate detectors for right, sei, and humpback whales.

Fratantoni and Baumgartner attended an ONR workshop on the development of automated detectors for marine mammal vocalizations, Arlington, VA, June 19, 2008. At this workshop we presented the WHOI approach to developing automatic detectors for low-frequency baleen whale calls recorded from autonomous underwater vehicles.

# **RESULTS**

Two significant papers were published in the past year (see below) including the first published account of the use of autonomous vehicles for the study of marine mammal ecology. This paper, appearing in a special volume of Limnology and Oceanography, summarizes new findings about sei whale vocalizations and feeding behavior inferred from glider operations in Great South Channel during May 2005.

A second paper, published in the Journal of the Acoustical Society of America, attributes a common low-frequency downsweep call to sei whales and describes an automatic detector for this call. This will be the first baleen whale detector implemented on the new WHOI D-MON instrument (see Related Projects, below). We will initially validate performance of this detector during D-MON bench testing using previously recorded/isolated/validated sei whale calls.

### RELATED PROJECTS

In the past year this project has largely merged with a parallel WHOI effort to develop new broadband acoustic hardware and the accompanying software for automated detection and classification: "Development and Validation of a Mobile, Autonomous, Broadband Passive Acoustic Monitoring System for Marine Mammals" with PI's Fratantoni, Baumgartner, and Johnson. Rather than developing a stand-alone low-frequency detector package as initially proposed, our baleen whale detector algorithms will be implemented in real-time on the D-MON, a low-power self-contained acoustic signal processing device developed at Woods Hole Oceanographic Institution (WHOI). This device has been created specifically for passive acoustic detection and so has the necessary broadband, low-noise signal acquisition capabilities. The device will be integrated in profiling floats and gliders to create a persistent detection capability. As detection algorithms mature, they will be ported to the D-MON for autonomous operation.

#### **PUBLICATIONS**

Baumgartner, M. F. and D. M. Fratantoni. 2008. Diel periodicity in both sei whale vocalization rates and the vertical migration of their copepod prey observed from ocean gliders. *Limnology and Oceanography* 53: 2197-2209.

Baumgartner, M. F., S. M. Van Parijs, F. W. Wenzel, C. J. Tremblay, H. C. Esch, and A. M. Warde. 2008. Low frequency vocalizations attributed to sei whales (*Balaenoptera borealis*). *Journal of the Acoustical Society of America* 124:1339-1349.